



REOVIB MTS 441




REOVIB MTS 442

One and two channel control units for full and half wave feeders..
 Stepless control of feeder throughput by controlling the supply voltage using phase-angle control.
 All settings are made externally using a touch panel and LED display.
 The feed rate is held constant irrespective of supply voltage variations.
 Functions include:
 Soft-start, soft-stop, maximum limit setting, vibrating frequency 50/100 Hz (60/120 Hz)
 Start/Stop input, status output, track control, solenoid valve output (air blast).
 Internal interlocking; channel 1 inhibits channel 2 or channel 2 inhibits channel 1 (MTS 442 only).

Technical Data:	MTS 441	MTS 442
Supply voltage:	115 / 240 V, 50/60 Hz	
Output voltage:	0...100 / 0...210 V	
Output current:	6 A	6 A (10 A total)
Enable input:	24 V, DC or Contacts	
Track sensor:	24 V, PNP	
Status output (ON/OFF):	24 V, DC / 20 mA	
Solenoid valve output:	24 V, DC 100 mA	
Operating temperature:	0... + 45 °C	
Storage temperature:	-10...+ 80 °C	
Recommended fuse:	16 A	

Display and controls



- Increase value
- Decrease value
- Go Back
- Programming mode or Enter

Instructions:

Menus are used for changing settings. The different parameters are selected by entering a code.

All adjustments are made by firstly pressing the P key, followed by selecting the entry code, using the cursor keys.

Settings

Pressing the cursor key for a short time causes a unit increment/decrement, holding down for a longer time gives changes in tens of units.
 Setting changes are saved upon leaving the menu or automatically if a key is not pressed for 60 seconds.

Running Displays

Channel 1		Set point in %	
Channel 2		Sst point in %	
		Enable OFF	
		Track full	
		Timer running	
		Stop using "0" key	
			Sensor time out
		Powering up	

Safety Instructions

This description contains the necessary information for the correct application of the product described below. It is intended for use by technically qualified personal.

Qualified personnel are persons who, because of their training, experience and position as well as their knowledge of appropriate standards, regulations, health and safety requirements and working conditions, are authorised to be responsible for the safety of the equipment, at all times, whilst carrying out their normal duties and are therefore aware of, and can report, possible hazards (Definition of qualified employees according to IEC 364)



Warning!

Hazardous Voltage

Failure to observe can kill, cause serious injury or damage

Isolate from mains before installation or dismantling work, as well as for fuse changes or post installation modifications.

Observe the prescribed accident prevention and safety rules for the specific application.

Before putting into operation check if the rated voltage for the unit conforms with the local supply voltage.

Emergency stop devices must be provided for all applications. Operation of the emergency stop must inhibit any further uncontrolled operation.

Electrical connections must be covered.

The earth connection must be checked, for correct function, after installation.



Installation

Check !	Are the supply, feeder coil and controller input voltages correct ? Is the controller adequately rated for the rated power of the feeder ? What is the vibrating frequency of the feeder ?
Connect the unit in accordance with the wiring instructions and ensure that earthing is correct !	
Attention !	A wrongly adjusted vibrating frequency may result in destruction of the connected coils! If half-wave is selected make sure that coils suitable for half-wave operation (50 Hz / 3000 vibs./min. / 60 Hz /3600 vibs./min.) are used .
Tip !	New units are factory set (see table for settings).
external Setpoint	When an external set point source is used (MTS 441) select Menu C 003 E.S.P. = I and if a potentiometer is used select Pot = I. To set the minimum vibration level, select E.S.P. = 0, adjust the vibration level with the cursor keys and then select E.S.P. = I. The specific settings for the system can be saved using Menu C 143 US.PA. (recalled using C 210 US.PA). Menus can be hidden by selecting C 117 Hd.C.= 1.

Specified Use

The units described herein are electrical controllers for installation in industrial plants.

They are designed for power adjustment on vibratory feed

Declaration of conformity

We declare that these products conform with the following standards and directives:
 EN 61000-6-2 and EN 61000-6-4 in accordance with Directive 2004/108/EEC.

REO ELEKTRONIK AG, D-42657 Solingen



Functions summary

Setting	Range	Code	Factory setting	Menu code	Setting	Range	Code	Factory setting	Menu code
Feed rate channel 1	0... 100 %	o.A.	0 %	000, 020	Sensor time out channel 1	0 / 1	o. E.	0	015
Feed rate channel 2	0... 100 %	i.A	0 %	000, 021	Sensor time out channel 2	0 / 1	i. E.	0	015
2. Set point (Coarse) channel 1	0... 100 %	2.	0 %	000, 020	Sensor time out time	30... 240 Sec.	E.E.	5 Sec.	015
441 External set point	0 / 1	E.S.P.	0	003	442 Sensor logic AND	0 / 1	SLA	0	014
441 Set point Potentiometer	0 / 1	POT.	0	003	442 Sensor logic ExOR	0 / 1	SLE	0	014
441 Set point 0(4)... 20 mA	0 / 1	4.20		003	Pulsed operation channel 1	0 / 1	o. HP.	0	004
Maximum limit channel 1	50...100 %	P	100 %.	020	Pulsed operation channel 2	0 / 1	i. HP.	0	004
Maximum limit channel 2	50...100 %	P	100 %.	021	Pulse ON	0... 60 Sec.	H.	2 Sec.	004
Vibrating frequency channel 1	0 / 1	o. HA.	0	020	Pulse OFF	0... 60 Sec.	h.	2 Sec.	004
Vibrating frequency channel 2	0 / 1	i. HA.	0	021	Channel 1				
Soft start channel 1	0... 10 Sec.	o ./.	0.1 Sec.	020	Coarse / fine control active	0 / 1	S.P.2	0	003
Soft start channel 2	0... 10 Sec.	i. ./.	0.1 Sec.	021	Interlocking				
Soft stop channel 1	0... 10 Sec.	o. \.	0,1 Sec.	020	442 Channel 1 inhibits channel 2	0 / 1	o.-i.	0	003
Soft stop channel 2	0... 10 Sec.	i. \.	0,1 Sec.	021	442 Channel 2 inhibits channel 1	0 / 1	i.-o..	0	003
Invert enable channel 1	0 / 1	o.-En.	1	020	Air valve function	0 / 1	A.i.r.	0	003
Invert enable channel 2	0 / 1	i.-En.	1	021	Save user settings	PUSH.			143
Switch on time delay channel 1	0... 60 Sec.	o. l.	5 Sec.	007	Restore factory settings		FAC.		210
Switch off time delay channel 2	0... 60 Sec.	i. l.	5 Sec.	006	Restore user settings		US.PA.		210
Switch off time delay channel1	0... 60 Sec.	o.O.	5 Sec.	007	Hide programming menus		Hd.C.		117
Switch off time delay channel 2	0... 60 Sec.	i.O.	5 Sec.	006					
Invert sensor channel 1	0 / 1	o. -SE.	0	007					
Invert sensor channel 2	0 / 1	i. -SE.	0	006					

No code number is required to change the feeder throughput: pressing the P key twice will call up the set point display.

Code 000 Feed rate set point

Feed rate channel 1

Feed rate channel 2

Run mode

Amplitude a [mm]

100 %

0

Set point

100 %

Feed rate


R 1000

Feed rate settings

Symbol for channel 1

Symbol for channel 2

Code 003 Function settings



0 = Set point using display
1 = external set point 0...+10 V ON



0 = external set point 0...+10 V
1 = external 4...20 mA



0 = 0...10 V / 0(4)...20 mA
1 = Potentiometer



0 = Track control
1 = Coarse / fine control with 2 set points



Channel 1 inhibits channel 2



Channel 2 inhibits channel 1




0 = Solenoid output run on time 4 Sec..
1 = Solenoid output pre run time 1 Sec..
Run on time 4 Sec..





Run mode

Only MTS 441



Internal using keys in touch panel
External set point 0...+10 V, 0(4)...20 mA
Potentiometer 10 KR

Set point input





Track control or Coarse / fine control with two feed rates

Sensor input

Only MTS 442 Interlocking of channels

Internal interlocking as required

Interlocking



24 V, DC output for air valve
Air valve connections are on an internal terminal rail

Solenoid output

Code 004 Feeder / Prefeeder



Channel 1
0 = Pulsed feed OFF
1 = Pulsed feed ON



Prefeed motor drive
0 = OFF
1 = ON



Channel 2
0 = Pulsed feed OFF
1 = Pulsed feed ON




Prefeed motor drive
0 = OFF
1 = ON




ON - Time



OFF - Time




Run mode




Output pulses with adjustable ON/OFF times

Output




Operating mode for belt type prefeeder with a 1-phase motor drive

Output




Output pulses with adjustable ON/OFF times

Output



Operating mode for belt type prefeeder with a 1-phase motor drive

Output



Adjustment of the ON/OFF pulse time

Pulse time

Code C 007 Track Control

Channel 1


P C. 000 C. 006 P

P a-5 0 a-5 1 P Invert sensor function
I = invert

P a1 20 a1 50 P Switch On time delay

P a0 20 a0 50 P Switch Off time delay

P 1000 Run mode



Invert sensor input

Time delays

Code C 006 Track Control

Channel 2


P C. 000 C. 006 P

P i.-5 0 i.-5 1 P Invert sensor function
I = invert

P i.1 20 i.1 50 P Switch On time delay

P i.0 20 i.0 50 P Switch Off time delay

P 1000 Run mode



Invert sensor input

Time delays


Code C 015 Sensor time out

P C. 000 C. 015 P

P EE.n 0 EE.n 1 P Channel 1
0 = Time-out not active
1 = Time-out active

P E. 30 E. 240 P Time-out time [Sec.]

P 1000 Run mode






Sensor monitoring active.
If no components are detected during the time out period the feeder switches off.

Sensor Monitoring

Code C 020 Feeder Settings **Channel 1**



Channel 1



2. Set point (only if "S.P.2." = I)

Coarse / fine control with two feed rates
In Menu C 003 set "S.P.2." = I !

Umax Channel 1






0 = Enable
I = Invert enable

Vibrating frequency
50 / 100 Hz (60 / 120 Hz)
HA. = 0 = 100 Hz (120 Hz)
HA. = I = 50 Hz (60 Hz)

Soft start channel 1

Soft stop channel 1

Return to run mode



Symbol for Channel 1

Main set point	Set point
Set point for slow feed rate	Set point
Limiting the maximum feed rate. The set point will still display 0....100% even though it is limited internally.	Maximum limit
+24 V Signal or closed contacts will enable the output. +24 V Signal or closed contacts will inhibit the output	Enable input
The frequency setting depends upon the feeder type. Important ! The wrong frequency setting can damage coils.	Vibrating frequency
Time ramp for starting and stopping the feeder.	Soft start / stop

Code C 021 Feeder Settings **Channel 2**

Only MTS 442

P P

P P Feed rate channel 2

P P Umax Channel 2


P P
0 = Enable
I = Invert enable

P P
Vibrating frequency Channel 2
50 / 100 Hz (60 / 120 Hz)
HA. = 0 = 100 Hz (120 Hz)
HA. = 1 = 50 Hz (60 Hz)







P P Soft start channel 2

P P Soft stop channel 2

P Return to run mode




Symbol for Channel 2




Feed rate set point	Set point
Limiting the maximum feed rate. The set point will still display 0...100% even though it is limited internally.	Maximum limit
+24 V Signal or closed contacts will enable the output. +24 V Signal or closed contacts will inhibit the output.	Enable input
The frequency setting depends upon the feeder type. Important ! The wrong frequency setting can damage coils.	Vibrating frequency
Time ramp for starting and stopping the feeder	Soft start / stop

Code C 014 Sensor logic (MTS 440 und 442)




<p>Sensor 1</p> <p>Sensor 2</p>	<p>SLR. 0 Track control for channel 1 operates if sensor 1 sees product, sensor 2 can operate with channel 2.</p> <p>SLR. 1 Track control for channel 1 operates when sensor 1 <u>and</u> sensor 2 see product.</p>	<p>Sensor logic</p>																									
<p>Sensor 1</p> <p>Sensor 2</p>	<p>SLE. 0 Sensors 1 and 2 operate independently or as an AND circuit</p> <p>SLE. 1 Sensors 1 and 2 operate as a Min/Max configuration.</p>	<table border="1"> <tr> <td></td> <td>S2</td> <td>S1</td> <td></td> <td></td> </tr> <tr> <td>Max.</td> <td>0</td> <td>0</td> <td>0</td> <td>1</td> </tr> <tr> <td>Feeder</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Min</td> <td>0</td> <td>1</td> <td>1</td> <td>1</td> </tr> <tr> <td></td> <td>1</td> <td>1</td> <td>1</td> <td>0</td> </tr> </table> <p>Sensor logic</p>		S2	S1			Max.	0	0	0	1	Feeder					Min	0	1	1	1		1	1	1	0
	S2	S1																									
Max.	0	0	0	1																							
Feeder																											
Min	0	1	1	1																							
	1	1	1	0																							

Code 143 Save Current Parameters




<p>▲ All previously set parameters are saved</p>	<p>Save parameter settings</p>
---	--------------------------------

Code 210 Recall Parameters





<p>▲ Recall factory settings</p>	<p>Factory settings</p>
<p>▲ Recall settings saved under C 143</p>	<p>Recall parameter settings previously stored under C143</p>

Code 117 Inhibit Access




<p>HdC. 1 Parameter menus cannot be accessed, except the feed rate set point</p> <p>HdC. 0 Parameter menus can be accessed</p>	<p>Hide programming menus</p>
--	-------------------------------


Service




MTS 441




Sensor socket PNP Sensor (X4.1 and X4.2)




Status output (X5)



Enable input (X6)






MTS 442




Output socket

Input connector or mains cable




Air valve connection on internal terminals


Output socket channel 1




Output socket Channel 2



Input cable



Input connector



Ordering codes for plugs:

Output plug:

HA-4-M / 090210

Mains input:

HA-4-M-F / 090216

Track, enable:

Sensor plug 4 pin M12


RSV-M12-4 / 090131

Status signal:


Sensor plug 5pin M12

RSV-M12-5 / 090132

Dimensions



Example



Example of a feed station comprising a linear and bowl feeder with a prefeeder.

Linear and bowl feeders are controlled with a REOVIB MTS 442 and the prefeeder with a REOVIB MTS 441.

The prefeeder is regulated from the bowl feeder through a 1:1 connection cable (status output from bowl feeder to prefeeder enable input)..